

DRSABCD Action Plan

First Aid Fact Sheet



Danger

Check for danger and ensure the area is safe for yourself, bystanders and the patient.

Response

Check for a response: ask name and squeeze shoulders. **No response?** Send for help. **Response?** Make comfortable; monitor breathing and response; manage severe bleeding and then other injuries.



Send for help

Call triple zero (000) for an ambulance or ask a bystander to make the call. Stay on the line. If alone with the patient and you have to leave to call for help, first turn the patient into the recovery position before leaving.



Airway

Open the patient's mouth and check for foreign material. **Foreign material?** Roll the patient onto their side and clear the airway. **No foreign material?** Leave the patient in the position found, and open the airway by tilting the head back with a chin lift.



Breathing

Check for breathing Look, listen and feel for 10 seconds. **Not normal breathing?** Ensure an ambulance has been called and start CPR. **Normal breathing?** Place in the recovery position and monitor breathing.



CPR

Start CPR – 30 chest compressions followed by 2 breaths. Continue CPR until help arrives, the patient starts breathing, or you are physically unable to continue.

Defibrillate

Apply a defibrillator as soon as possible and follow the voice prompts

In a medical emergency call Triple Zero (000)

You could save a life with First Aid Training

© F.A.S.T. Training Australia protocols are based on Australian protocols, all care has been taken in preparing the information, FTA takes no responsibility for its use by other parties or individuals. Not for commercial distribution.

This information is not a substitute for First Aid Training, FTA recommends attending first aid training courses.